Contents

Ahn, J.H., Peacor, D.R., Coombs, D.S.: Formation mechanisms of illite, chlorite and mixed-layer illite-chlorite in Triassic volcanogenic sediments from the Southland Syncline, New Zealand 82

Albarede, F., → Juteau, M., et al. 219

Arculus, R.J., → Ruiz, J., et al. 36

Arima, M., Kerrich, R.: Jurassic kimberlites from Picton and Varty Lake, Ontario: Geochemical and stable isotopic characteristics 385

Baker, M.B., → Grove, T.L., et al. 320

Barbieri, M., Peccerillo, A., Poli, G., Tolomeo, L.: Major, trace element and Sr isotopic composition of lavas from Vico volcano (Central Italy) and their evolution in an open system 485

Batiza, R., → Graham, D.W., et al. 446

Bhattacharya, A., → Paria, P., et al. 126

Burkhard, D.J.M., O'Neil, J.R.: Contrasting serpentinization processes in the eastern Central Alps 498

Burkhard, M., Kerrich, R.: Fluid regimes in the deformation of the Helvetic nappes, Switzerland, as inferred from stable isotope data 416

Cashman, K.V., Ferry, J.M.: Crystal size distribution (CSD) in rocks and the kinetics and dynamics of crystallization. III. Metamorphic crystallization 401

Cashman, K.V., Marsh, B.D.: Crystal size distribution (CSD) in rocks and the kinetics and dynamics of crystallization. II. Makaopuhi lava lake 292

Clague, D.A., Dalrymple, G.B.: Age and petrology of alkalic postshield and rejuvenated: stage lava from Kauai, Hawai 202

Compston, W., → Kröner, A., et al. 257

Coombs, D.S., → Ahn, J.H., et al. 82

Cousens, D.R., → Griffin, W.L., et al. 143

Dalrymple, G.B., → Clague, D.A. 202

Dickin, A.P.: Evidence for limited REE leaching from the Roffna Gneiss, Switzerland – a discussion of the paper by Vocke et al. (1987) (CMP95:145–154) 273

Donnelly-Nolan, J.M., → Grove, T.L., et al. 320

Ferry, J.M., → Cashman, K.V. 401

Fiala, J., → Kröner, A., et al. 257

Frost, C.D., → Geist, D.J., et al. 105

Garcia, M.O., → Spengler, S.R. 90

Geist, D.J., Myers, J.D., Frost, C.D.: Megacryst-bulk rock isotopic disequilibrium as an indicator of contamination processes: The Edgecumbe Volcanic Field, SE Alaska 105

Gillet, P., Goffé, B.: On the significance of aragonite occurrences in the Western Alps 70

Goffé, B., → Gillet, P. 70

Graham, D.W., Zindler, A., Kurz, M.D., Jenkins, W.J., Batiza, R., Staudigel, H.: He, Pb, Sr and Nd isotope constraints on magma genesis and mantle heterogeneity beneath young Pacific seamounts 446

Grant, N.K., → Mazzone, P. 267

Griffin, W.L., Jaques, A.L., Sie, S.H., Ryan, C.G., Cousens, D.R., Suter, G.F.: Conditions of diamond growth: a proton microprobe study of inclusions in West Australian diamonds 143

Grove, T.L., Kinzler, R.J., Baker, M.B., Donnelly-Nolan, J.M., Lesher, C.E.: Assimilation of granite by basaltic magma at Burnt Lava flow, Medicine Lake volcano, northern California: Decoupling of heat and mass transfer 320

Hanson, G.N., → Nabelek, P.I., et al. 49

Hervig, R.L., → London, D., et al. 360

Hill, J.D.: Alkalic to transitional ferrogabbro magma associated with paleohelikian anorthositic plutons in the Flowers River area, southeastern Nain igneous complex, Labrador 113

Holland, T.J.B.: Preliminary phase relations involving glaucophane and applications to high pressure petrology: new heat capacity and thermodynamic data 134

Jaques, A.L., → Griffin, W.L., et al. 143

Jenkins, D.M.: Experimental study of the join tremolite-tschermakite: A reinvestigation 392

Jenkins, W.J., → Graham, D.W., et al. 446

Jurewicz, A.J.G., Watson, E.B.: Cations in olivine, Part 1: Calcium partitioning and calcium-magnesium distribution between olivines and coexisting melts, with petrologic applications 176

Jurewicz, A.J.G., Watson, E.B.: Cations in olivine, Part 2: Diffusion in olivine xenocrysts, with applications to petrology and mineral physics 186

Jurewicz, S., → Walker, D., et al. 306

Juteau, M., Pagel, M., Michard, A., Albarede, F.: Assimilation of continental crust by komatiites in the Precambrian basement of the Carswell structure (Saskatchewan, Canada) 219

Kamineni, D.C., → Kerrich, R. 430

Kerrich, R., Kamineni, D.C.: Characteristics and chronology of fracture – fluid infiltration in the Archean, Eye Dashwa Lakes pluton, Superior Province: evidence from H,C,O-isotopes and fluid inclusions 430

Kerrich, R., → Arima, M. 385

Kerrich, R., → Burkhard, M. 416

Kinzler, R.J., → Grove, T.L., et al. 320

Krogh, E.J.: The garnet-clinopyroxene Fe-Mg geothermometer – a reinterpretation of existing experimental data 44

Kröner, A., Wendt, I., Liew, T.C., Compston, W., Todt, W., Fiala, J., Vankova, V., Vanek, J.: U-Pb zircon and Sm-Nd model ages of high-grade Moldanubian metasediments, Bohemian Massif, Czechoslovakia 257

Kullerud, K., → Mørk, M.B.E., et al. 344

Kurz, M.D., → Graham, D.W., et al. 446

Labotka, T.C., → Nabelek, P.I., et al. 49

Le Breton, N., Thompson, A.B.: Fluid-absent (dehydration) melting of biotite in metapelites in the early stages of crustal anatexis 226

Lesher, C.E., → Grove, T.L., et al. 320

Liew, T.C., → Kröner, A., et al. 257

London, D., Hervig, R.L., Morgan, G.B. VI: Melt-vapor solubilities and elemental partitioning in peraluminous granite-pegmatite systems: experimental results with Macusani glass at 200 MPa 360

Marsh, B.D.: Crystal size distribution (CSD) in rocks and the kinetics and dynamics of crystallization. I. Theory 277

Marsh, B.D., → Cashman, K.V. 292

Masuda, A., → Terakado, Y., et al. 1

Mazzone, P., Grant, N.K.: Mineralogical and isotopic evidence for phenocryst-matrix disequilibrium in the Garner Mountain andesite 267

Michard, A., → Juteau, M., et al. 219

Möller, P.: The dependence of partition coefficients on differences of ionic volumes in crystal-melt systems 62

Moore, A.E.: Olivine: a monitor of magma evolutionary paths in kimberlites and olivine melilitites 238

Morgan, G.B. V.I., → London, D., et al. 360

Mørk, M.B.E., Kullerud, K., Stabel, A.: Sm-Nd dating of Seve eclogites, Norrbotten, Sweden – Evidence for early Caledonian (505 Ma) subduction 344

Myers, J.D., → Geist, D.J., et al. 105

Nabelek, P.I., Hanson, G.N., Labotka, T.C., Papike, J.J.: Effects of fluids on the interaction of granites with limestones: The Notch Peak Stock, Utah 49

Nicholls, J.: The statistics of Pearce element diagrams and the Chayes closure problem 11

Nicholls, J., → Russell, J.K. 25

Olmsted, J.F., → Whitney, P.R. 476

O'Neil, J.R., → Burkhard, D.J.M. 498

Ozawa, K.: Ultramafic tectonite of the Miyamori ophiolitic com-

plex in the Kitakami Mountains, Northeast Japan: hydrous upper mantle in an island arc 159
Pagel, M., → Juteau, M., et al. 219
Papike, J.J., → Nabelek, P.I., et al. 49
Paria, P., Bhattacharya, A., Sen, S.K.J.: The reaction garnet + clinopyroxene + quartz = 2 orthopyroxene + anorthite: A potential geobarometer for granulites 126
Patchett, P.J., → Ruiz, J., et al. 36
Peacor, D.R., → Ahn, J.H., et al. 82
Peccerillo, A., → Barbieri, M., et al. 485
Poli, G., → Barbieri, M., et al. 485
Ruiz, J., Patchett, P.J., Arculus, R.J.: Nd–Sr isotope composition of lower crustal xenoliths — Evidence for the origin of mid-tertiary felsic volcanics in Mexico 36
Russell, J.K., Nicholls, J.: Analysis of petrologic hypotheses with Pearce element ratios 25
Ryan, C.G., → Griffin, W.L., et al. 143
Sen, S.K.J., → Paria, P., et al. 126
Shimizu, H., → Terakado, Y., et al. 1
Sie, S.H., → Griffin, W.L., et al. 143
Smedley, P.L.: The geochemistry of Dinantian volcanism in south Kintyre and the evidence for provincialism in the southern Scottish mantle 374
Spear, F.S.: Metamorphic fractional crystallization and internal metasomatism by diffusional homogenization of zoned garnets 507
Spear, F.S.: The Gibbs method and Duhem's theorem: The quantitative relationships among *P, T,* chemical potential, phase composition and reaction progress in igneous and metamorphic systems 249
Spengler, S.R., Garcia, M.O.: Geochemistry of the Hawi lavas, Kohala Volcano, Hawaii 90
Spray, J.G.: Generation and crystallization of an amphibolite shear melt: an investigation using radial friction welding apparatus 464
Stabel, A., → Mørk, M.B.E., et al. 344
Staudigel, H., → Graham, D.W., et al. 446
Suter, G.F., → Griffin, W.L., et al. 143
Terakado, Y., Shimizu, H., Masuda, A.: Nd and Sr isotopic variations in acidic rocks formed under a peculiar tectonic environment in Miocene Southwest Japan 1
Thompson, A.B., → Le Breton, N. 226
Todt, W., → Kröner, A., et al. 257
Tolomeo, L., → Barbieri, M., et al. 485
Vanek, J., → Kröner, A., et al. 257
Vankova, V., → Kröner, A., et al. 257
Walker, D., Jurewicz, S., Watson, E.B.: Adcumulus dunite growth in a laboratory thermal gradient 306
Watson, E.B., → Jurewicz, A.J.G. 176
Watson, E.B., → Jurewicz, A.J.G. 186
Watson, E.B., → Walker, D., et al. 306
Wendt, I., → Kröner, A., et al. 257
Whitney, P.R., Olmsted, J.F.: Geochemistry and origin of albite gneisses, northeastern Adirondack Mountains, New York 476
Yamamoto, M.: Picritic primary magma and its source mantle for Oshima-Ōshima and back-arc side volcanoes, Northeast Japan arc 352
Zindler, A., → Graham, D.W., et al. 446

Subject-Index V
List of Locations VII

Indexed in Current Contents/
Abstracted in Mineralogical Abstracts

Subject index

Actinolite 500
adcumulus dunite growth 306ff.
adularia 434
Al, calcic amphiboles 392f.
–, olivines 196
albite gneiss, geochemistry 476ff.
alkalic basalt 205f.
Al/Si, amphiboles 399
Al-tschermakite 392f.
amphibole 166, 392ff.
amphibolite 345
–, shear melting 465ff.
analcime 85, 486f.
anatexis, metapelites 226ff.
andesine 92
andesite 5
–, petrogenesis by assimilation 320ff.
–, phenocryst-matrix disequilibrium 267ff.
ankaramite 377
anorthosite 113ff., 477f.
antigorite 499f.
apatite 92, 114, 486
aragonite, metamorphism 70ff.
assimilation, andesite 271
–, granite by basaltic magma 320 ff.
–, komatiites 219ff.
–, lavas 105f., 492f.
augite 63, 471

Back-arc side volcanoes, Japan 352f.
basalt 107f.
–, Kauai 203f.
–, Oshima 354
–, seamounts 448f.
basanite 203
bastite 499f.
benmoreite 93, 377
biotite 64, 510
–, dehydration melting 226ff.
blueschist 70f.
bronzite 63
burial, clay minerals 87

Ca, diffusion in olivine 194
calcite 72f., 534
–, dikes, C-O isotopic data 388
–, serpentinites 504
caldera depression 485
carbonates, Helvetic nappes, stable isotopic composition 421
carbonatite 388
Chayes array, application 17
chemical analysis
–, amphibolite, melting products 469f.
–, andesite, Burnt lava 322
–, –, inclusions 322
–, –, minerals 325
–, basalt, Oshima 355
–, –, seamounts 448
–, dikes, Picton Lake 386
–, Edgecumbe lavas 107
–, gabbro, anorthositic plutons 118
–, garnet, Seve eclogite 346
–, gneiss, Adirondacks 480
–, –, Carswell 220
–, granite, Notch Peak 52
–, harzburgite minerals, Miyamori tectonite 162
–, Hawi lavas 94
–, –, minerals 93
–, Kauai lavas 209
–, lavas, Vico 488
–, macusanite 361
–, omphacite, eclogites 346
–, peridotite minerals, Miyamori tectonites 164
–, volcanic rocks, Kintyre 377
–, xenoliths, Mexico 38
chlorite 434, 500, 510
chlorite-illite mixed-layering 85ff.
chrysotile 499f.
clinopyroxene 67, 126f., 161, 325, 469, 477, 498
–, eclogites, trace elements 148
clinopyroxenite 160f.
compressibility, glaucophane 135
–, metamorphic minerals 4f.
Cr-spinel 160f.
crystal accumulation, granites 56
crystal fractionation, Hawi lavas 99
crystal frequency histograms, metamorphism 403f.
crystal growth rates, metapelites 410f.
crystal/liquid fractionation, Vico lavas 489
crystallization, metamorphic, kinetics 401ff.
crystal-melt systems, ionic volumes 62ff.
crystal population balance, lavas 278f.
crystal size distribution, kinetics 277ff., 292ff.
–, metamorphic rocks 401ff.
crystal sorting, basalts 30f.
cumulate, Miyamori Complex 160f.

Dacite, granite inclusions 326
deformation, Helvetic nappes 416ff.
dehydration melting, biotite 226ff.
diamond formation 156
diamond inclusions 143ff.
differentiation, granites 7
–, magma, Pearce element ratios 25ff.
diffusion, olivine xenocrysts 186ff.
diffusional homogenization, garnets → Spear 8f.
dikes, trace elements and stable isotope data 386f.
diopside 499f.
disequilibrium, magmas 105ff.
Duhem's theorem, thermodynamics 249f.
dunite 160f.
–, adcumulus growth 306ff.

Eclogite 139, 145f., 345ff.
element partitioning, granite-pegmatite systems 365ff.
epidote 434
equilibrium, olivine/melt 179

Fassaite 471
faults, Helvetic nappes 419f.
Fe, diffusion in olivine 194
Fe-Mg exchange, garnet/biotite 228 f.
fluid flow, plutonic rocks 430ff.
fluid-rock interactions, granites 58f.
fluids, granite/limestone interaction 49ff.
fluorite 439
fractional crystallization, andesite 271, 320ff.
–, garnets 507ff.
–, Vico lavas 592
fracture fillings, granite 434ff.
frictional melting, amphibolites 464ff.

Gabbro 4, 113f.
gabbronorite 115
–, eclogite 346f.
–, granulite geobarometry 126ff.
–, size distribution 404ff.
–, trace elements
garnet/clinopyroxene geothermometer 44f.
geobarometry, granulites 126ff.
geochronology, Bohemian Massiv metasediments 260f.
geothermometry, garnet/clinopyroxene 44f.
–, olivines 197
Gibbs method, thermodynamics 249f.
glass, seamount basalts 407f.
glaucophane, thermodynamics 134f.
gneiss 476ff.
granite 5, 49ff., 326, 431ff.
granite-pegmatite systems, melt-vapor solubilities 360ff.
granulite 40
–, geobarometry 126ff.
growth zonation, garnets 507ff.
gypsum 434

Harzburgite 160f.
hawaiite 93, 203, 377
heat capacity, glaucophane 134f.
He isotopic composition, seamount basalts 453
hematite 438
hornblende 64, 161
hornfels, crystal size distributions 403ff.
hyaloclastite 454
hydrothermal fluid 431f.
hypersthene andesite 107

Icelandite 454
illite 85f.
ilmenite, crystal size distribution in lavas 296
inclusions, diamond 145f.
island arc systems 159ff.
isotope diversity, oceanic rocks 446ff.

Jadeite 136

Kimberlite 385f.
–, olivine chemistry 240ff.
kinetics, crystallization 277ff., 292ff.
–, metamorphic crystallization 446ff.
komatiites, assimilation 219ff.
kyanite 510
–, eclogite, trace elements 151

Lamprophyre 385f.
laumontite 85
lava lakes, Hawaii 294ff.
lavas, Hawi, geochemistry 90ff.
–, Kauai 203ff.
–, trace elements 485ff.
leucite 486f.
leucite-phonolites 486f.
lherzolite 162
lizardite 500

Macusanite 360ff.
magma, pre-post caldera relations, Vico 494f.
magma chamber 340
magma mixing 334
–, crystal size distribution 286f.
–, isotopic evidence in andesite 26
–, Vico lavas 493f.
magnetite 92
–, hornfels, size distribution 403
mantle heterogeneity 446ff.
megacrysts, Edgecumbe lavas 105f.
melilitite 213
mesoperthite 472
–, crystallization kinetics 401ff.
metapelites, crystal growth rates 409f.
metasomatism, internal, garnets 515f.
Mg, diffusion in olivine 194
microcline 480
mixed-layer, chlorite/illite 85f.
Mn, diffusion in olivine 194
monzodiorite 431
mugearite 93, 205
muscovite 510
–, dehydration-melting relations 231f.

Nd isotopic composition, seamount basalts 449
Nd isotopic variation, Japanese igneous rocks 1ff.
nephelinite 203
nucleation rate, crystals in lavas 281f.
–, metapelites 411

Obsidian 360f.
oceanic rocks, isotope diversity 401ff.
olivine 30, 64, 92, 107, 161, 325, 355, 499
–, diffusion in xenocrysts 186ff.
–, experimental growth 313f.
–, kimberlites 238ff.
–, trace elements 152
olivine andesite 107
olivine melilitite 242f.
olivine/melt, Ca-Mg distribution 176ff.
omphacite, eclogites 346f.
ophiolites 159ff.
orthopyroxene 67, 161
orthopyroxenite 161

Partial melting, Kauai lavas 213f.
partition coefficients, crystal-melt systems 62f.
Pb isotopic composition, seamount basalts 449
Pb isotopic data, Carswell gneiss 221
–, statistics 11ff.
Pearce element ratios, magma differentiation 25f.
pegmatite 436
pelite dehydration, anatexis 230f.
peridotite 162f.
phenocryst-melt disequilibrium, andesite 267f.
phenocrysts, kimberlites 241f.
–, Vico lavas 486f.
phlogopite 161, 434, 486
phonolite 486f.
plagioclase 30, 65, 92, 107f., 114f., 229, 325, 486f.
–, andesite 267f.
–, growth rates in lavas 297ff.
population balance, crystals in lavas 279f.
prehnite 438

Quartz 126f., 229, 434, 478f.
–, Helvetic nappes, O-isotopic composition 424f.
quartz monzonite 50f.

Radial friction welding apparatus 465f.
Raman spectra, $CaCO_3$-minerals 72
Rayleigh fractionation, seamount basalts → Graham 12
Rb-Sr data, Carswell gneiss 221
–, Edgecumbe lavas 108f.
–, granites 55f.
REE, andesite and inclusions 323
–, Carswell gneiss 221
–, granites 55f.
–, leaching, gneiss 273f.
–, partitioning, crystal-melt-systems 67f.
rhyodacite 107
rhyolite 321, 361
rutile, eclogite, trace elements 151

Sanidine 486f.
scapolite → 480
seamounts, mantle heterogeneity 446ff.
serpentine 161
serpentinite, stable isotope composition 500f.
serpentinization 498ff.
shear melting, amphibolites 464ff.
shield volcano, Kauai 203
smectite 84f.
Sm-Nd data, Carswell gneiss 221
–, Kintyre volcanics 378f.
Sm-Nd dating, eclogite 344ff.
Sm-Nd systematics, Bohemian metasediments 260f.
sphene, crystal size distributions 409
spinel 165f., 499
Sr, aragonite 75f.
Sr isotope composition, Mexican xenoliths 39
–, seamount basalts 449
–, Vico lavas 487
Sr isotopic variations, Japanese igneous rocks 1ff.
Sr-Nd systematics, Kauai lavas 212f.
stable isotopes, granulite fracture fillings 435f.
staurolite 510
subduction, eclogite petrogenesis 349
syenite 114

Talc 136
tectonism, Helvetic nappes 517ff.
–, Japan 1ff.
tectonites, Helvetic nappes, stable isotope comp. 526f.
–, ophiolite complex 159ff.
temperature profiles, lava lakes 294
Th, Vico lavas 487
thermodynamics, Gibbs method 249
–, granulite geobarometry 126ff.
tholeiite 454
thrusts, Helvetic nappes 418f.
Ti-magnetite 486
trace elements, andesite 269, 323
–, dikes 386f.
–, eclogite minerals 146ff.
–, gabbros 118f.
–, Hawi lavas 95
–, Kauai lavas 209
–, Kintyre volcanics 377f.
–, Vico lavas 490f.
trachyte 93, 486f.
tremolite 136, 392f., 500
tschermakite synthesis 394f.

Veins, Helvetic nappes 418f.
volcanism, Kintyre 374ff.

Websterite 161
wehrlite 160f.

Xenoliths, Nd-Sr isotopic comp 36f.

Zircons, metasediment geochronology 260f.